



Enduring **Beauty**, Designed to Last a **Lifetime**



**100%
Waterproof**



**Scratch &
Dent Resistant**




**Kid & Pet
Friendly**



**Installs on
Every Level**

FEATURES	BENEFITS
<p>CORE: The Everguard core construction eliminates air pockets, which results in increased product hardness and protection from moisture.</p>	<p>Delivers 100% waterproof protection.⁽¹⁾ Provides greater impact resistance and dimensional stability for high traffic areas.⁽²⁾</p>
<p>TEMPERATURE: Performs at high temperatures with no crowning, cupping or wear layer delamination.⁽³⁾</p>	<p>No acclimation required. Installs on any level, including three season rooms and rooms with direct sunlight.</p>
<p>LOCK STRENGTH: The Everguard core construction enables precision milling of the lock.</p>	<p>Makes installation easy and fast.</p>



Reference Footnotes: (1) As tested when installed in areas of high humidity over concrete subfloors. (2) As tested according to ASTM F3261. (3) As tested according to ASTM F3261.

Hartco[®]

Everguard[™] Rigid Core Flooring



MADE IN THE USA
with US & Global Components.

CLASSIC



Timeless Look
RKEG60L01E



Fall Harvest
RKEG60L02E



Deep Taupe
RKEG60L03E



Crystal Gray
RKEG60L04E



Mountain City
RKEG60L05E

CLASSIC PLUS



Calmet Taupe
EKEP70L05E



Nature Time
EKEP70L02E



Wheatland Hills
EKEP70L03E



Sea Oat
EKEP70L06E



Friendly Trail
EKEP70L04E



Breezy Cloud
EKEP70L08E




Dreams Fly
EKEP70L09E



Beach Grass
EKEP70L01E



Curator Gray
EKEP70L07E



Atlantic View
EKEP70L10E

TRENDING



Botanical Tan
RKEG70L01E




Sand Washed
RKEG70L02E



Southern Hills
RKEG70L03E



Ocean Style
RKEG70L04E



Dark Timber
RKEG70L05E

Hartco[®]

Everguard[™] Rigid Core Flooring



MADE IN THE USA
with US & Global Components.



PHOTO: Ocean Style, Pine, RKEG70L04E

	CLASSIC	CLASSIC PLUS	TRENDING
APPEARANCE	White Oak and Rustic Oak	Oak	White Oak, Pine and Rustic Oak
STRUCTURE	Vinyl Film + Everguard [™] Core + Pad		
SIZE	5.9" x 48"	7.87" x 60"	7.2" x 60"
THICKNESS	5 mm = 4 mm + 1 mm pad attached		6 mm = 5 mm + 1 mm pad attached
WEAR LAYER	12 mil		20 mil
EMBOSSING	Wood Grain		
GLOSS	Low		
EDGE DETAIL	Micro-beveled edges and ends	Painted micro-beveled edges and ends	
BOARD TO BOARD VARIATION	More		
INSTALLATION	Locking, Below / On / Above Ground Level Optional Installation: Glue Down - Bruce [®] TuffLink [™] Residential Resilient Adhesive		
WARRANTY	35-Year Limited Warranty, Residential Use		Lifetime Limited Warranty, Residential Use and 10-Year Limited Warranty, Light Commercial Use

For more information, contact your Hartco distributor or AHF Products Sales Representative.